



















- [12] Ruella, C., and Birglen, L., 2013. “Traversability analysis of a novel one-dof robotic leg”. In Proceedings of the 2013 ASME International Design Engineering Technical Conferences and Computers and Information in Engineering Conference (IDETC-CIE).
- [13] Spong, M. W., Hutchinson, S., and Vidyasagar, M., 2005. *Robot Modeling and Control*. John Wiley & Sons, Inc.
- [14] Kajita, S., and Espiau, B., 2008. *Handbook of Robotics*. Springer, Berlin-Heidelberg, ch. Legged Robots, pp. 361–389.
- [15] Hirose, S., Fukuda, Y., Yoneda, K., Nagakubo, A., Tsukagoshi, H., Arikawa, K., Endo, G., Doi, T., and Hodoshima, R., June 2009. “Quadruped walking robots at tokyo institute of technology”. *Robotics & Automation Magazine, IEEE*, **Vol.16, no.2**, pp. pp.104–114.
- [16] Whitley, D., 1994. *A Genetic Algorithm Tutorial*, samizdat press ed. Computer Science Department, Colorado State University, Fort Collins, Co 80523.
- [17] Artobolevsky, I., 1989. *Mechanisms in modern engineering design*, Vol. I-III. MIR Publisher Moscow.
- [18] Raibert, M. H., 1986. “Legged robots”. *Communications of the ACM*, **29**(6), pp. 499–514.
- [19] Tavolieri, C., Ottaviano, E., Ceccarelli, M., and Rienzo, A. D., 2006. “Analysis and design of a 1-dof leg for walking machines”. In The 15th International Workshop on Robotics in Alpe-Adria-Danube Region (RAAD).
- [20] Shieh, W., Tasai, L., and Azarm, U., 1997. “Design and optimization of a one-degree-of-freedom six-bar leg mechanism for a walking machine”. *Journal of Robotics systems*, **14**(12), pp. 871–880.
- [21] Kendry, J. M., 2008. “Design and analysis of a class of planar biped robots mechanically coordinate by a single degree of freedom”. *ASME Journal of Mechanical Design*, **130**, p. 102302.
- [22] Tavolieri, C., Ottaviano, E., Ceccarelli, M., and Rienzo, A. D., 2007. “A design of a new leg-wheel walking robot”. In Mediterranean Conference on Control & Automation.
- [23] Ottaviano, E., Lanni, C., and Ceccarelli, M., 2004. “Numerical and experimental analysis of a pantograph-leg with a fully rotative actuating mechanism”. In Proceedings of the 11th World Congress in Mechanism and Machine Science, pp. 1537–1541.
- [24] Fukucka, Y., and Kimura, H., 2009. “Dynamic locomotion of a biomorphic quadruped tekken robot using various gaits: walk, trot, free-gait and bound”. *Applied Bionics and Biomechanics*, **6:1**, pp. 63–71.
- [25] Raibert, M., Blankespoor, K., Nelson, G., and Playter, R., 2008. “Bigdog, the rough-terrain quadruped robot”. In Proceedings of the 17th World CongressThe International Federation of Automatic Control.